

AUTHOR INDEX

Arisz, P.W. 27

Barrere, B. 297
Beaupere, D. 147
Bertocchi, C. 167
Bischoff, M. 1, 9
Boon, J.J. 27
Botto, R.E. 27
Brade, H. 223
Bretzke, C. 1
Bruneteau, M. 155
Bubb, W.A. 173
Buleon, A. 115

Calvo-Flores, F.G. 271
Comber, R.N. 245
Compston, C.A. 283

Desai, T. 59
Douthau, A. 297
Driguez, P.-A. 297
D'Souza, F.W. 223
Dunshee, D.A. 245

Evers, B. 335
Ewing, D.F. 147

Falshaw, R. 127
Feather, M.S. 257
Fiema, J. 155
Friedrich, J.D. 245
Furneaux, R.H. 127, 185

Gigg, J. 59
Gigg, R. 59
Glinsky, G.V. 257
Grue, M.R. 311
Grzeszczyk, B. 49

Hagen, B. 9
Hasegawa, A. 137
Hasegawa, M. 161
Hemmingson, J.A. 185
Hindsgaul, O. 283
Holmberg, L. 213

Isac-García, J. 271
Ishida, H. 137
Isogai, A. 161

Jegou, D. 115
Jeong, L.S. 103

Khan, S.H. 283
Kiso, M. 137
Knutsen, S.H. 167
Köll, P. 1, 9
Kopf, J. 1, 9
Kosma, P. 223

Lahaye, M. 115
Lim, B.B. 103
Lindberg, B. 213
Lindqvist, B. 213

Mackenzie, G. 147
Magnusson, G. 79
Marquez, V.E. 103
Martín-Zamora, E. 59
Messer, M. 173
Michel, G. 155
Miller, I.J. 127
Mischnick, P. 335
Morf, M. 9
Morgan, K.R. 185
Mossine, V.V. 257
Murano, E. 167

Onabe, F. 161
Ozawa, K. 137

Palcic, M.M. 283
Parolis, H. 311, 323
Parolis, L.A.S. 311, 323
Pastorova, I. 27
Petty, S.L. 245

Quash, G. 297

Rizzo, R. 167
Robles-Díaz, R. 271
Rouhier, P. 155

Santoyo-González, F. 271
Satomura, S. 137
Secrist III, J.A. 245
Stanley, R.A. 185
Stasik, I. 147

Taneda, Y. 173
Thiem, J. 335
Toffanin, R. 167
Tsuji, Y. 173

Urashima, T. 173
Uzan, R. 147

Vargas-Berenguel, A. 271

Wadouachi, A. 147
Whittaker, D.V. 323

Yamagata, Y. 137

Zamojski, A. 49
Zhiyuan, Z. 79
Ziegler, T. 195
Zurzycka, A. 155

SUBJECT INDEX

- 6'-*N*-Acetylglucosaminylactose, studies of the one- and two-dimensional ^1H and ^{13}C NMR spectra, 173
- N*-Acetyl glucosaminyltransferase III activity, synthesis of a di-*O*-methylated pentasaccharide for use in the assay of, 283
- Acyclic carbohydrates, 1,3-parallel *O*//*O* interactions in, the crystal and molecular structures of some heptitols and heptitol heptaacetates, 9
- Agaroid hydroxyl groups, chemical methylation, 127
- Algae, 115
- Algae, detection by ^{13}C NMR spectroscopy of cellulose in the cell wall of some red, 167
- Alkali-soluble glucans from the mycelium of *Aspergillus giganteus* mut. *alba*, structural characterization, 155
- Amadori compounds (1-amino-1-deoxy-D-fructose derivatives) derived from a series of aliphatic ω -amino acids, the preparation and characterization of some, 257
- (1-Amino-1-deoxy-D-fructose derivatives) derived from a series of aliphatic ω -amino acids, the preparation and characterization of some Amadori compounds, 257
- 5-Aminopentyl glycoside of β -D-Galp-(1 \rightarrow 4)- β -D-GlcpNAc-(1 \rightarrow 3)-L-Fucp and fragments thereof related to glycopeptides of human Christmas factor and the marine sponge *Microciona prolifera*, synthesis, 195
- α -Amylases, human, synthesis of *p*-nitrophenyl 6⁵- and/or 4⁵-*O*-glycosyl- α -maltopentao-sides for the differential assay of, 137
- Aspergillus giganteus* mut. *alba*, structural characterization of alkali-soluble glucans from the mycelium of, 155
- Benzyl 7-*O*-allyl-2,3-*O*-isopropylidene-4-*O*-*p*-methoxybenzyl-L-glycero- α -D-manno-heptopyranoside, synthesis as a versatile LD-ManHepp derivative, 49
- Capsular polysaccharide of *E. coli* K84, structural elucidation, 323
- Capsular polysaccharide of *E. coli* K103, structural investigation using bacteriophage degradation and NMR spectroscopy, 311
- Cell wall, 115
- Cell wall of some red algae, detection of cellulose by ^{13}C NMR spectroscopy, 167
- Cellulose, 115
- Cellulose char structure: a combined analytical Py-GC-MS, FTIR, and NMR study, 27
- Cellulose in the cell wall of some red algae, detection by ^{13}C NMR spectroscopy, 167
- Chemical methylation of agaroid hydroxyl groups, 127
- Chiral *myo*-inositol phosphates and phosphorothioates, synthesis from 1D-3,6-*O*-benzyl-1,2-*O*-isopropylidene-*myo*-inositol, 59
- Chitin and chitosan, molecular mass distribution, 161
- Chitosan and chitin, molecular mass distribution, 161
- Chlamydia*-specific Kdo trisaccharides epitope, synthesis of carboxyl-reduced analogues, 223
- Chlorophyceae, 115
- Crystal and molecular structure of 1-deoxy-1-nitro-D-altritol, 1,3-parallel C//*O* interactions in acyclic carbohydrates, 1
- ^{13}C Solid-state NMR study of ion-exchange resins derived from natural polysaccharides, a, 185
- Cyclomalto-oligosaccharides pivaloylation and diphenylacetylation, 271
- 2-Deoxy- α -D-arabino-hexopyranosyl phosphate and 2-deoxy-maltooligosaccharides, synthesis with phosphorylase, 335
- Deoxyglobotrioses, synthesis of double-chain bis-sulfone neoglycolipids of the 2"-, 3"-, 4"-, and 6"-, 79
- 2-Deoxy-maltooligosaccharide (2-deoxy-amyl-ose), enzymatic synthesis with phosphorylase

- of 2-deoxy- α -D-arabino-hexopyranosyl phosphate and a, 335
- 3-Deoxy-D-manno-2-octulosonic acid derivatives related to the *Chlamydia*-specific Kdo trisaccharide epitope, synthesis, 223
- 1-Deoxy-1-nitro-D-altritol, crystal and molecular structure, 1,3-parallel C//O interactions, 1
- 1D-3,6-Di-O-benzyl-1,2-O-isopropylidene-myoinositol, synthesis of chiral myo-inositol phosphates and phosphorothioates from, 59
- 2,3-Difluorofuranose with the D-lyxo configuration. An intramolecular rearrangement of methyl 5-O-benzoyl-2,3-dideoxy-2,3-difluoro-D-lyxofuranoside observed during the attempted synthesis of 1-(2,3-dideoxy-2,3-difluoro- β -D-lyxofuranosyl)thymine, synthesis of a, 103
- Disaccharides: syntheses and anti-HIV testing of thiokojibiose octaacetate, thionigerose, and thiomaltose, α -(1 \rightarrow 2)-, α -(1 \rightarrow 3)-, and α -(1 \rightarrow 6)-thioglycosidic, 245
- Double-chain bis-sulfone neoglycolipids of the 2"-, 3"-, 4"-, and 6"-deoxyglobotrioses, synthesis, 79
- E. coli* O20:K84:H26 capsular polysaccharide, structural elucidation, 323
- E. coli* O101:K103:H⁻ capsular polysaccharide, structural investigation using bacteriophage degradation and NMR spectroscopy, 311
- Epichlorohydrin and polysaccharides, model substances with non-cyclic substituents for the reaction between, 213
- FTIR, PY-GC-MS, and NMR study of cellulose char structure, 27
- β -D-Galp-(1 \rightarrow 4)- β -D-Glc pNAc-(1 \rightarrow 3)-L-Fucp, synthesis of the 5-aminopentyl glycoside of, 195
- Glucans from the mycelium of *Aspergillus giganteus* mut. *alba*, structural characterization of alkali-soluble, 155
- Glycopeptides of human Christmas factor and the marine sponge *Microciona prolifera*, synthesis of the 5-aminopentyl glycoside of β -D-Galp-(1 \rightarrow 4)- β -D-Glc pNAc-(1 \rightarrow 3)-L-Fucp and fragments thereof related to, 195
- Goat (*Capra hircus*) colostrum, studies of the neutral trisaccharides, 173
- Heptitols and heptitol heptaacetates, the crystal and molecular structures of some, 9
- Heptopyranoside, synthesis of benzyl 7-O-allyl-2,3-O-isopropylidene-4-O-p-methoxybenzyl-L-glycero- α -D-manno-, a versatile LD-man-Hepp derivative, 49
- myo-Inositol phosphates and phosphorothioates, synthesis from 1D-3,6-di-O-isopropylidene-myoinositol of chiral, 59
- Ion-exchange resins derived from natural polysaccharides, a ¹³C solid-state NMR study of, 185
- Kdo trisaccharide epitope, synthesis of carboxyl-reduced analogues of the *Chlamydia*-specific, 223
- α -Maltopentaosides, *p*-nitrophenyl 6⁵- and/or 4⁵-O-glycosyl-, for the differential assay of human α -amylases, synthesis, 137
- Methylation of agaroid hydroxyl groups, chemical, 127
- Methyl α -D-glucopyranoside derivatives with non-cyclic substituents, synthesis as model compounds for the reaction between epichlorohydrin and polysaccharides, 213
- Molecular mass distribution of chitin and chitosan, 161
- Neoglycolipids of the 2"-, 3"-, 4"-, and 6"-deoxyglobotrioses, synthesis of double-chain bis-sulfone, 79
- NMR, PY-GC-MS, and FTIR study of cellulose char structure, 27
- NMR study of ion-exchange resins derived from natural polysaccharides, a ¹³C solid-state, 185
- 1,3-Parallel C//O interactions in acyclic carbohydrates: the crystal and molecular structure of 1-deoxy-1-nitro-D-altritol, 1
- 1,3-Parallel O//O interactions in acyclic carbohydrates, the crystal and molecular structures of some heptitols and heptitol heptaacetates, 9
- Pentasaccharide for use in the assay of *N*-acetyl glucosaminyltransferase III activity, synthesis of a di-O-methylated, 283
- Phosphorylase, enzymatic synthesis of 2-deoxy- α -D-arabino-hexopyranosyl phosphate and 2-deoxy-maltooligosaccharides with, 335
- Pivaloylation and diphenylacetylation of cyclo-malto-oligosaccharides, 271
- Polysaccharide, structural elucidation of the *E. coli* K84 capsular, 323
- Polysaccharide, structural investigation of the *E. coli* K103 capsular, using bacteriophage degradation and NMR spectroscopy, 311

- Polysaccharides and epichlorohydrin, model substances with non-cyclic substituents for the reaction between, 213
- Polysaccharides, a ^{13}C solid-state NMR study of ion-exchange resins derived from natural, 185
- Potential inhibitors of sialidase from *Influenza* virus, 297
- Py-GC-MS, FTIR, and NMR study of cellulose char structure, 27
- Rearrangement of methyl 5-*O*-benzoyl-2,3-dideoxy-2,3-difluoro-D-lyxofuranoside observed during the attempted synthesis of 1-(2,3-dideoxy-2,3-difluoro- β -D-lyxofuranosyl)thymine, synthesis of a, 2,3-difluorofuranose with the D-lyxo configuration. An intramolecular, 103
- Reducing sugars, stereochemical control in the formation of thiazolidines from O-protected, 147
- Selective pivaloylation and diphenylacetylation of cyclomalto-oligosaccharides, 271
- Stereochemical control in the formation of thiazolidines from O-protected reducing sugars, 147
- Synthesis of transition-state analogues as potential inhibitors of sialidase from *Influenza* virus, 297
- Thiazolidines, stereochemical control in formation from O-protected reducing sugars, 147
- Thioglycosidic disaccharides: syntheses and anti-HIV testing of thiokojibiose octaacetate, thionigerose, and thiomaltose, α -(1 \rightarrow 2)-, α -(1 \rightarrow 3)-, and α -(1 \rightarrow 6)-, 245
- Thiokojibiose octaacetate, thionigerose, and thiomaltose, α -(1 \rightarrow 2)-, α -(1 \rightarrow 3)-, and α -(1 \rightarrow 6)-, thioglycosidic disaccharides: syntheses and anti-HIV testing of, 245
- Thiomaltose, α -(1 \rightarrow 2)-, α -(1 \rightarrow 3)-, and α -(1 \rightarrow 6)-thioglycosidic disaccharides: syntheses and anti-HIV testing of thiokojibiose octaacetate, thionigerose, and, 245
- Thionigerose, and thiomaltose, α -(1 \rightarrow 2)-, α -(1 \rightarrow 3)-, and α -(1 \rightarrow 6)-thioglycosidic disaccharides: syntheses and anti-HIV testing of thiokojibiose octaacetate, 245
- Transition state analogue as potential inhibitors of sialidase, 297
- Trisaccharides of goat (*Capra hircus*) colostrum, studies of the neutral, 173
- Ulva lactuca*, 115
- Versatile LD-manHepp derivative, synthesis of benzyl 7-*O*-allyl-2,3-*O*-isopropylidene-4-*O*-*p*-methoxybenzyl-L-glycero- α -D-manno-heptopyranoside, 49
- Xyloglucan, 115

